Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e. 12 character/inch).

A. PROCESS

DOE/RL-88-21 4843 Alkali Metal Storage Facility 9/26/96 Rev. 3,

I. EPA/STATE I.D. NUMBER

| 3 | | | DAN | NGER | ROUS WASTE PERMI | I APPLICA | AHON | <u> v</u> | V A 7 8 9 0 0 0 8 9 6 7 |
|--|------------------|---|--|----------------------|---|-----------------------|--|--|---|
| FOR OFFI | CIAL U | ISE ONI | LY | | | | | ' | |
| APPLICA APPRO\ | | | RECEIVE day, & yr. | | | СОМ | MENTS | | |
| | | | | | CI | EAN CLO | SED, 0 | 04/14/97 | |
| II. FIRST (| OR RE\ | /ISED A | PPLICAT | ION | | | | | |
| | n. If this | is your | first applic | | below (mark one box only) to indicate w d you already know your facility's EPA/S | | | | |
| A. FIRST / | APPLIC 1. EXI | ATION STING | (place an FACILITY | , | w and provide the appropriate date) (See instructions for definition of "existin Complete Item below.) | g" facility. | 2. NEV | V FACILITY (Con | nplete item below) |
| 00 | -1 1- | — I F | YEAR 1943 | | *FOR EXISTING FACILITIES, PROVIDED DATE (mo., day, & yr.) OPERATION BETHE DATE CONSTRUCTION COMMENT the boxes to the left) *The date construction of the Hanford Facommenced. | EGAN OR NCED (use | MO. DA | T O | OR NEW FACILITIES, PROVIDE HE DATE, <i>(mo., day, & yr.)</i> PERATION BEGAN OR IS XPECTED TO BEGIN |
| B. REVISE | D APP | LICATION HA | ON (place AS AN INT | e an "X" b | elow and complete Section I above) FATUS PERMIT 2. F | FACILITY HAS A F | INAL PERMI | IT | |
| III. PROCE | ESS - C | ODES / | AND CAP | ACITIES | | | | | |
| codes. | If more | e lines a | re needed | d, enter th | the list of process codes below that bes ne code(s) in the space provided. If a pro n the space provided on the (Section III-C | cess will be used th | | | |
| B. PROC | ESS DI | ESIGN (| CAPACIT | Y - For ea | ach code entered in column A enter the c | capacity of the proc | ess. | | |
| 1. AM | OUNT | - Enter t | the amour | nt. | | | | | |
| | | | | | unt entered in column B(1), enter the cod ted below should be used. | le from the list of u | nit measure o | codes below that | describes the unit of measure used. |
| | PRO | OCESS | | PRO- CESS CODE | APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY | PI | ROCESS | PRO- CESS CODE | APPROPRIATE UNITS OF MEASURE FOR PROCESS DESIGN CAPACITY |
| Storage | : | | | | | Treatment: | | | |
| CONTA | INER (l | oarrel, d | rum, etc.) | S01 | GALLONS OR LITERS | TANK | | T01 | GALLONS PER DAY OR |
| TANK S02 WASTE PILE S03 | | | GALLONS OR LITERS CUBIC YARDS OR CUBIC METERS | SURFACE IM | IPOUNDMEN | NT T02 | LITERS PER DAY GALLONS PER DAY OR LITERS PER DAY | | |
| SURFA | CE IMP | OUND | MENT | S04 | GALLONS OR LITERS | INCINERATO | R | T03 | TONS PER HOUR OR METRIC TONS PER |
| Disposa | l: | | | | | | | | HOUR; GALLONS PER HOUR OR LITERS PER |
| INJECT LANDFI | | ELL | | D80 D81 | GALLONS OR LITERS ACRE-FEET (the volume that would cover one acre to a depth of one foot) OR | OTHER (Use | | | HOUR GALLONS PER DAY OR LITERS PER DAY |
| LAND APPLICATION D82 OCEAN DISPOSAL D83 | | HECTARE-METER ACRES OR HECTARES GALLONS PER DAY OR LITERS PER DAY | chemical, thermal or biological treatment processes not occurring in tanks, surface impoundments or incinerators. Describe the processes in the | | | ETEROTERIDAT | | | |
| SURFA | CE IMP | OUND | MENT | D84 | GALLONS OR LITERS | space provide | | | |
| | | | UNI | T OF | | UNIT OF | | | UNIT OF |
| UNIT O | F MEAS | SURE | MEA | SURE | UNIT OF MEASURE | MEASURE CODE | ! | UNIT OF MEASU | MEASURE |
| GALLOI LITERS CUBIC CUBIC GALLOI | YARDS METER | RS | | G L Y C | LITERS PER DAY TONS PER HOUR METRIC TONS PER HOUR GALLONS PER HOUR LITERS PER HOUR | V D W E H | 1 | ACRE-FEET HECTARE-METE ACRES HECTARES | A R F B Q |
| | | EXAMP | LE FOR C | COMPLET | TING SECTION III (shown in line numbe | rs X-1 and X-2 belo | ow): A facility | has two storage | tanks; one tank can |

hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour. **B. PROCESS DESIGN CAPACITY**

| LINE NUMBER | CODE (from list above) 1. AMOUNT (specify) | | 2. UNIT OF MEASURE (enter code) | FOR OFFICIAL USE ONLY | | | |
|----------------|---|--------|---------------------------------------|--------------------------|--|--|--|
| X-1 | S02 | 600 | G | | | | |
| X-2 | T03 | 20 | E | | | | |
| 1 | S01 | 83,279 | L | | | | |
| 2 | | | | | | | |
| 3 | | | | | | | |
| 4 | | | | | | | |
| 5 | | | | | | | |
| 6 | | | | | | | |
| 7 | | | | | | | |
| 8 | | | | | | | |
| 9 | | | | | | | |
| 10 | | | | | | | |

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (CODE "T04"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

S01

The 4843 Alkali Metal Storage Facility (4843 AMSF) began waste management operations in April 1986 and was used for the storage of alkali metal waste generated from the Fast Flux Test Facility and from various other operations on the Hanford Site that used alkali metal.

The dangerous alkali metal waste storage area was separated from the mixed alkali metal storage area by a rope divider. The use of concrete blocks inside the 4843 AMSF provided shielding to protect the environment from radioactive alkali metal waste. Waste storage containers could have included steel 19-liter (5-gallon), 114-liter (30-gallon), and 208-liter (55-gallon) containers, or sealed piping and sealed components.

Presently, the 4843 AMSF does not store dangerous or mixed alkali metal waste and will be closed. The maximum process design capacity for container storage was 83,279 liters (22,000 gallons).

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describe the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

 ENGLISH UNIT OF MEASURE CODE

 METRIC UNIT OF MEASURE CODE

POUNDS P KILOGRAMS K
TONS T METRIC TONS M

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- 1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "Included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

| L I N NO E . | A. DANGEROUS | | C. UNIT OF MEA- SURE (enter code) | D. PROCESSES | | | | | |
|-----------------------|-----------------|--|-------------------------------------|-----------------------------|-----|--|---|--|--|
| | WASTE NO. | B. ESTIMATED ANNUAL QUANTITY OF WASTE | | 1. PROCESS CODES (enter) | | | S | PROCESS DESCRIPTION (if a code is not entered in D(1)) | |
| X-1 | K054 | 900 | P | T03 | D80 | | | | |
| X-2 | D002 | 400 | P | T03 | D80 | | | | |
| X-3 | D001 | 100 | P | T03 | D80 | | | | |
| X-4 | D002 | | | T03 | D80 | | | included with above | |
| 1 | D001 | 83,915 | К | S01 | | | | Storage - Container | |
| 2 | D003 | | ↓ | V | | | | Ψ | |
| 3 | WSC2 | | + | Ψ | | | | Included With Above | |
| 4 | | | | | | | | | |
| 5 | | | | | | | | | |
| 6 | | | | | | | | | |
| 7 | | | | | | | | | |
| 8 | | | | | | | | | |
| 9 | | | | | | | | | |
| 10 | | | | | | | | | |

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The 4843 AMSF was a storage unit for alkali metal waste that exhibited the dangerous waste characteristics of ignitability (D001), reactivity (D003), and

corrosivity (WSC2, state-only, dangerous waste). A maximum of 83,279 liters (22,000 gallons) of dangerous and/or mixed alkali metal waste could have been stored at the 4843 AMSF.

V. FACILITY DRAWING Refer to attached drawing(s).

All existing facilities must include in the space provided on page 5 a scale drawing of the facility (see instructions for more detail).

VI. PHOTOGRAPHS Refer to attached photograph(s).

All existing facilities must include photographs (arial or ground-level) that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas (see instructions for more detail).

VII. FACILITY GEOGRAPHIC LOCATION This information is provided on the attached drawing(s) and photograph(s).

| LATITUDE | E (degrees, mini | utes, & se | econds) | LONGITUDE (degrees, minutes, & seconds) | | | | | |
|----------|------------------|------------|---------|---|--|--|--|--|--|
| | | | | | | | | | |

| VIII. FACILITY OWNER | | | | | | | | | |
|--|---|----------|-------------|--|--|--|--|--|--|
| A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below. B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items: | | | | | | | | | |
| 1. NAME OF FACILITY'S LEGAL OWNER 2. PHONE NO. (area code & no.) | | | | | | | | | |
| | | | | | | | | | |
| 3. STREET OR P.O. BOX | 4. CITY OR TOWN | 5. ST. | 6. ZIP CODE | | | | | | |
| | | | | | | | | | |
| IX. OWNER CERTIFICATION | | | | | | | | | |
| I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. | | | | | | | | | |
| NAME (print or type) | SIGNATURE | DATE SIG | GNED | | | | | | |
| John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office | | | | | | | | | |
| X. OPERATOR CERTIFICATION | | | | | | | | | |
| I certify under penalty of law that I have personally examined a inquiry of those individuals immediately responsible for obtaining there are significant penalties for submitting false information, | ng the information, I believe that the submitted information is | | | | | | | | |
| NAME (print or type) | SIGNATURE | DATE SIG | GNED | | | | | | |
| SEE ATTACHMENT | | | | | | | | | |


X. OPERATOR CERTIFICATION

Fluor Daniel Hanford, Inc.

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

| John D. Wagoner | 9/26/96 | |
|---------------------------------------|---------|--|
| Owner/Operator | Date | |
| John D. Wagoner, Manager | | |
| U.S. Department of Energy | | |
| Richland Operations Office | | |
| | | |
| | | |
| H.J. Hatch | 9/13/96 | |
| Co-Operator | Date | |
| H. J. Hatch | | |
| President and Chief Executive Officer | | |

4843 Alkali Metal Storage Facility Site Plan





* MID LINE COUNTRY & CHANGE SO CHARGE WAR OF BUILDING.

H96070161.14

4843 Alkali Metal Storage Facility

Fully insulated boiled steel building rests on a concrete slab. Two 12-ft roll-up doors used for moving supplies into and out of the building.






For conversion, apply the following reet to Meters - exactiply feet by 0.3048

39010019.2

4843 Alkali Metal Storage Facility

Storage Area Floor Plan



H96070161.31

4843 ALKALI METAL STORAGE FACILITY - 400 AREA



46°26'14" 119°21'57"

8704431-2CN (PHOTO TAKEN 1987)

4843 ALKALI METAL STORAGE FACILITY - 400 AREA



DANGEROUS ALKALI METAL STORAGE AREA

46°26'14" 119°21'57"

96080657-4CN (PHOTO TAKEN 1996)

4843 ALKALI METAL STORAGE FACILITY - 400 AREA



MIXED ALKALI METAL STORAGE AREA

46°26'14" 119°21'57"

96080657-2CN (PHOTO TAKEN 1996)